




More Easy, More Safe, More Efficiency.


Rotative Vertical Lifter

APOLLO can provide customers better logistics solutions with international experience in plant logistics innovation and optimization. Rotative vertical lifter is used for vertical transport and sorting for goods between different floors.



Rotative Vertical Lifter

Up type (One in one out):




Down type (One in one out):




APOLLO rotative vertical lifter can be integrated into most solutions, providing entry and exit in different directions, as well as multi-in and multi-out. It is not only used for the vertical transport of goods, but also realizes the automatic sorting of goods at different floors in the vertical direction.

Multi-in and Multi-out (for sorting):



Specifications

APOLLO design and customize different forms of infeed and outfeed conveyors according to the working process in factory, integrate them seamlessly with other delivery systems. Help customers to improve production line efficiency and ensure their material handling needs are met and operation costs are reduced.





APOLLO rotative vertical lifter is suitable for a wide range of products, like cartons, turntable boxes, crates, plastic totes, bags, drums etc.






Technical Parameters

Item	6010 standard type	6020 widen type
Infeed / outfeed type	One in one out / One in multi-out Multi-in one out / Multi-in multi-out	Customized
Infeed direction	Front / Side infeed	/
Outfeed direction	Front / Side outfeed	/
Docking with infeed / outfeed conveyor	Traverse docking / Telescopic docking	Customized
Mini. height of infeed	Min: 750mm	Min: 750mm
Max. height of lifter	Max: 35m	Max: 20m
Products size to handle	Max: L600 × W400mm × H500mm	Max: L800 × W600mm × H600mm
Load capacity	≤ 50kg	≤ 70kg
Throughput	500 – 1500 packages / hour	500 – 1000 packages / hour
Frame material	Carbon steel / Stainless steel	/




C 1-1 Type





Z 1-1 Type







Z X-Y Type




C X-Y Type




L X-Y Type



Application of Rotative Vertical Lifter







APOLLO MEDIA CENTER

You can find more from our website:

- Rich resource media center and selection guide on how to choose APOLLO products.
- Application reports from different industries cover a variety of operational possibilities.
- Quick product survey and contact information of our system consultants.

www.sz-apollo.com



WeChat
consultation



WeChat public
account

✉ amy@sz-apollo.com



+86-512-6569 8859



+86-151 5140 8535 Amy



No. 5527 Wuzhong avenue, Wuzhong district, Suzhou, China